

Page 1/8

Safety Data Sheet

according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

1 Identification

· Product identifier

· Trade name: GO360 METALLIC ADDITIVE

- · Article number: GO360
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Manufacturer: General Paint Company S.A.L. P.O.Box 7623 Beirut, Lebanon info@generalpaint.biz www.generalpaint.biz Importer: Payless Services Pty. Ltd. A Pacific Express Group Company 103 Eldridge Road Bankstown, NSW, 2200 Australia

· Further information obtainable from: Product Safety Department

• Emergency telephone number: Phone : +61 297085698 Mobile: +61 413703038

2 Hazard(s) Identification

• *Classification of the substance or mixture* The product is not classified, according to the Globally Harmonised System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO360 METALLIC ADDITIVE

(Contd. of page 1)

>2.5-≤10%

>2.5-*≤*10%

*≤*2.5%

Page 2/8

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

111-76-2 2-butoxyethanol

112926-00-8 Precipitated silica (Silica-Amorphous)

67-63-0 propan-2-ol

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 3)

[–] AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

(Contd. of page 2)

Page 3/8

Trade name: GO360 METALLIC ADDITIVE

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingre	dients with limit values that require monitoring at the workplace:
111-7	'6-2 2-butoxyethanol
WES	Short-term value: 242 mg/m³, 50 ppm Long-term value: 96.9 mg/m³, 20 ppm Sk
11292	26-00-8 Precipitated silica (Silica-Amorphous)
WES	Long-term value: 10 mg/m³ inhalable dust
67-63	-0 propan-2-ol
WES	Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm
 Perso Gene The u Resp Prote The g Due t prepa Select 	tional information: The lists valid during the making were used as basis. onal protective equipment: aral protective and hygienic measures: Isual precautionary measures are to be adhered to when handling chemicals. iratory protection: Not required. ection of hands: Ilove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. etion of the glove material on consideration of the penetration times, rates of diffusion and the addition

(Contd. on page 4)

AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

(Contd. of page 3)

Page 4/8

Trade name: GO360 METALLIC ADDITIVE

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9 Physical and Chemical Properties

· General Information		
· Appearance:		
· Form:	Fluid	
· Colour:	According to product description	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	7.4-8.4	
Change in condition		
· Melting point/freezing point:	Undetermined.	
 Initial boiling point and boiling range. 	: 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
 Auto-ignition temperature: 	240 °C	
 Decomposition temperature: 	Not determined.	
 Ignition temperature: 	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
 Vapour pressure at 20 °C: 	23 hPa	
· Density at 20 °C:	1.075 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with 		
· water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
	(Co	ontd. on page 5



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

(Contd. of page 4)

Page 5/8

Trade name: GO360 METALLIC ADDITIVE

· Solvent content:	
 Organic solvents: 	
Wator	

Water:

· VOC (EC)

57.9 % 241.8 g/l

32.8 %

8.5 %

· Solids content:

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

111-76-2 2-butoxyethanol

	-	
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
	LD50	1,200 mg/kg (ATE) 1,480 mg/kg (rat) 400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO360 METALLIC ADDITIVE

(Contd. of page 5)

Page 6/8

12 Ecological Information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation** Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	NOT APPLICABLE	
UN proper shipping name	NOT APPLICABLE	
Transport hazard class(es)	NOT APPLICABLE	
Packing group	NOT APPLICABLE	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO360 METALLIC ADDITIVE

(Contd. of page 6)

S6

S4

Page 7/8

 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

7732-18-5 water, distilled, conductivity or of similar purity

111-76-2 2-butoxyethanol

112926-00-8 Precipitated silica (Silica-Amorphous)

67-63-0 propan-2-ol

108-01-0 2-dimethylaminoethanol

7447-41-8 lithium chloride

· Standard for the Uniform Scheduling of Medicines and Poisons

111-76-2 2-butoxyethanol

108-01-0 2-dimethylaminoethanol

· Australia: Priority Existing Chemicals

111-76-2 2-butoxyethanol

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: N/A

 Abbreviations and acronyms: EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. on page 8)

AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO360 METALLIC ADDITIVE

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.

(Contd. of page 7)

Page 8/8

AU