

Page 1/8

Safety Data Sheet

according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

1 Identification

· Product identifier

· Trade name: GO370 XIRALLIC COPPER

- · Article number: GO370
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Manufacturer: General Paint Company S.A.L. P.O.Box 7623 Beirut, Lebanon info@generalpaint.biz www.generalpaint.biz Importer: Payless Services Pty. Ltd. A Pacific Express Group Company 103 Eldridge Road Bankstown, NSW, 2200 Australia

· Further information obtainable from: Product Safety Department

• Emergency telephone number: Phone : +61 297085698 Mobile: +61 413703038

2 Hazard(s) Identification

| Classification of the substance or mixture Flammable liquids – Category 4 H227 Combustible liquid. | |
|--|--------------------|
| Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GF-Hazard pictograms Void Hazard pictograms Void Signal word Warning Hazard statements Combustible liquid. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. In case of fire: Use CO2, powder or water spray to extinguish. | (Contd. on page 2) |
| | (|

– AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO370 XIRALLIC COPPER

Store in well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

111-76-2 2-butoxyethanol

108-01-0 2-dimethylaminoethanol

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures Not required.



Page 2/8

(Contd. of page 1)

>2.5-*≤*10%

*≤*2.5%



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

(Contd. of page 2)

Page 3/8

Trade name: GO370 XIRALLIC COPPER

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

· Handling:

· Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 10

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol WES Short-term value: 242 mg/m³, 50 ppm Long-term value: 96.9 mg/m³, 20 ppm

Sk

108-01-0 2-dimethylaminoethanol

WES Short-term value: 22 mg/m³, 6 ppm Long-term value: 7.4 mg/m³, 2 ppm

• Additional information: The lists valid during the making were used as basis.

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.

(Contd. on page 4)

AU -



Page 4/8

Safety Data Sheet

according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

(Contd. of page 3)

Trade name: GO370 XIRALLIC COPPER

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

. Conoral Information

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9 Physical and Chemical Properties

| • | General Information | | |
|-----|--|----------------------------------|----------------|
| • . | Appearance: | | |
| • . | Form: | Fluid | |
| | Colour: | According to product description | |
| | Odour: | Characteristic | |
| | Odour threshold: | Not determined. | |
| • | pH-value at 20 °C: | 7.4-8.4 | |
| | Change in condition | | |
| • , | Melting point/freezing point: | Undetermined. | |
| • . | Initial boiling point and boiling range: | 100 °C | |
| • . | Flash point: | 68 °C | |
| • . | Flammability (solid, gas): | Not applicable. | |
| • | Auto-ignition temperature: | 240 °C | |
| • . | Decomposition temperature: | Not determined. | |
| • . | Ignition temperature: | Product is not selfigniting. | |
| • . | Explosive properties: | Not determined. | |
| • . | Explosion limits: | | |
| • . | Lower: | Not determined. | |
| | Upper: | Not determined. | |
| | Vapour pressure at 20 °C: | 23 hPa | |
| | | | (Contd. on pag |

(Contd. on page 5)

AU



Safety Data Sheet according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Page 5/8

Trade name: GO370 XIRALLIC COPPER

| | | (Contd. of page |
|--|--|-----------------|
| · Density at 20 °C: | 1.095 g/cm ³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Fully miscible. | |
| Partition coefficient: n-octanol/water | : Not determined. | |
| · Viscosity: | | |
| · Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| · Organic solvents: | 8.1 % | |
| · Water: | 71.3 % | |
| · VOC (EC) | 405.0 g/l | |
| · Solids content: | 20.3 % | |
| · Other information | No further relevant information available. | |

10 Stability and Reactivity

· Reactivity No further relevant information available.

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

| LD/LC50 values | s relevant for | classification: |
|----------------|----------------|-----------------|
|----------------|----------------|-----------------|

| 111-76-2 2-butoxyethanol | | |
|--------------------------|----------|---|
| Oral | LD50 | 1,200 mg/kg (ATE) |
| | | 1,480 mg/kg (rat) |
| Dermal | LD50 | 1,200 mg/kg (ATE) 1,480 mg/kg (rat) 400 mg/kg (rab) 3 mg/l (ATE) |
| Inhalative | LC50/4 h | 3 mg/l (ATE) |

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)

AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Page 6/8

Trade name: GO370 XIRALLIC COPPER

(Contd. of page 5)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| 14 Transport information | | |
|---------------------------|----------------|--------|
| · UN-Number | Not Applicable | |
| · UN proper shipping name | Not Applicable | |
| | Νοι Αρρικαρίε | (Conto |



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Page 7/8

Trade name: GO370 XIRALLIC COPPER

| | | (Contd. of page 6) |
|--|------------------------------------|--------------------|
| · Transport hazard class(es) | Not Applicable | |
| · Packing group | Not Applicable | |
| Environmental hazards: Marine pollutant: | No | |
| · Special precautions for user | Not applicable. | |
| Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

 Australian Inventory of Industrial Chemicals All ingredients are listed. Standard for the Uniform Scheduling of Medicines and Poisons 111-76-2 2-butoxyethanol S6 108-01-0 2-dimethylaminoethanol S4 S6 1330-20-7 xylene · Australia: Priority Existing Chemicals 111-76-2 2-butoxyethanol GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). · Hazard pictograms Void · Signal word Warning · Hazard statements Combustible liquid. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. In case of fire: Use CO2, powder or water spray to extinguish. Store in well-ventilated place. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU • Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)

AU



according to WHS Regulations

Printing date 06.07.2024

Version number 1.1

Revision: 06.07.2024

Trade name: GO370 XIRALLIC COPPER

(Contd. of page 7)

Page 8/8

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department

· Contact: N/A

Abbreviations and acronyms:
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 DD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flammable liquids – Category 4: Flammable liquids – Category 4
 * Data compared to the previous version altered.

AU -