

Page 1/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

1 Identification

- · Product identifier
- · Trade name: 601 2K CONCENTRATED WHITE
- · Article number: 601
- · Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Manufacturer:

General Paint Company S.A.L.

P.O.Box 7623

Beirut, Lebanon

info@generalpaint.biz

www.generalpaint.biz

Importer:

Payless Services Pty. Ltd.

A Pacific Express Group Company

103 Eldridge Road

Bankstown, NSW, 2200

Australia

- · Further information obtainable from: Product Safety Department
- · Emergency telephone number:

Phone: +61 297085698 Mobile: +61 413703038

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS02 flame

Flammable liquids – Category 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Carcinogenicity – Category 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

(Contd. on page 2)

ÁIJ



Page 2/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 1)

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms





GHS02 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

titanium dioxide (>25-≤50 %)

· Hazard statements

Flammable liquid and vapour.

Suspected of causing cancer. Route of exposure: Inhalation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
13463-67-7	titanium dioxide	>25- <i>≤</i> 50%		
123-86-4	n-butyl acetate	>10- <i>≤</i> 25%		
1330-20-7	xylene	>2.5- <i>≤</i> 10%		
64742-95-6	Solvent naphtha (petroleum), light arom.	>2.5- <i>≤</i> 10%		
(Contd. on page 3				

ΔΙΙ



Page 3/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Co	ontd. of page 2)
108-65-6 2-methoxy-1-methylethyl acetate	>2.5- <i>≤</i> 10%
80-62-6 methyl methacrylate	<i>≤</i> 2.5%
26761-45-5 2,3-epoxypropyl neodecanoate	<i>≤</i> 2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Page 4/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with	limit values tha	t require monitor	ing at t	the workplace:
--------------------	------------------	-------------------	----------	----------------

123-86-4 n-butyl acetate

WES Short-term value: 950 mg/m³, 200 ppm Long-term value: 713 mg/m³, 150 ppm

1330-20-7 xylene

WES Short-term value: 655 mg/m³, 150 ppm Long-term value: 350 mg/m³, 80 ppm

108-65-6 2-methoxy-1-methylethyl acetate

WES Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

80-62-6 methyl methacrylate

WES Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm Sen

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)



Page 5/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: LiquidColour: White

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

Change in condition

· Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 124 °C
 Flash point: 25 °C
 Flammability (solid, gas): Flammable.

(Contd. on page 6)



Page 6/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 5)

· Auto-ignition temperature: 370 °C

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower:
Upper:
Vapour pressure at 20 °C:
Density at 20 °C:
Relative density
Vapour density
Vapour density
Evaporation rate

· Solubility in / Miscibility with

• water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

· Solvent content:

• Organic solvents: 29.6 %
 • VOC (EC) 401.5 g/l
 • Solids content: 69.7 %

· Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 6)

	· LD/LC50	· LD/LC50 values relevant for classification:					
13463-67-7 titanium dioxide			n dioxide				
Ī	Oral	LD50	>20,000 mg/kg (rat)				
	Dermal	LD50	>10,000 mg/kg (rabbit)				
	Inhalative	LC50/4 h	>6.82 mg/l (rat)				

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer. Route of exposure: Inhalation.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

ÁU



Page 8/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 7)

- Uncleaned packaging:
 Recommendation: Disposal must be made according to official regulations.

UN-Number ADG, IMDG, IATA	UN1263
UN proper shipping name ADG IMDG, IATA	1263 PAINT PAINT
Transport hazard class(es)	
ADG, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADG, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	
EMS Number:	F-E, <u>S-E</u>
Stowage Category	A
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 m 3
Transport category Tunnel restriction code	D/E



Page 9/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 8)

· IMDG

· Limited quantities (LQ)

5L Code: E1

Excepted quantities (ÉQ)

Acvimum not quantity nor innor no

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 1263 PAINT, 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals			
titanium dioxide			
n-butyl acetate			
xylene			
2-methoxy-1-methylethyl acetate			
methyl methacrylate			
2,3-epoxypropyl neodecanoate			
ethylbenzene			
methacrylic acid			
2-hydroxyethyl methacrylate			
butanol			
ZINC 2-ETHYLEXANOATE			
Solvent naphtha (petroleum), medium aliph.			
Propylene glycol			
dibutyltin dilaurate			
octamethylcyclotetrasiloxane			
Standard for the Uniform Scheduling of Medicines and Poisons			
xylene	S6		
methyl methacrylate	S6, S10		
	titanium dioxide n-butyl acetate xylene 2-methoxy-1-methylethyl acetate methyl methacrylate 2,3-epoxypropyl neodecanoate ethylbenzene methacrylic acid 2-hydroxyethyl methacrylate butanol ZINC 2-ETHYLEXANOATE Solvent naphtha (petroleum), medium aliph. Propylene glycol dibutyltin dilaurate octamethylcyclotetrasiloxane or the Uniform Scheduling of Medicines and Poisons xylene		

· Australia: Priority Existing Chemicals

868-77-9 2-hydroxyethyl methacrylate

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 10)

S5



Page 10/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

(Contd. of page 9)

· Hazard pictograms





GHS02 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

titanium dioxide (>25-≤50 %)

· Hazard statements

Flammable liquid and vapour.

Suspected of causing cancer. Route of exposure: Inhalation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)



Page 11/11

Safety Data Sheet according to WHS Regulations

Printing date 12.07.2024 Version number 1.5 Revision: 05.07.2024

Trade name: 601 2K CONCENTRATED WHITE

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative
Flammable liquids – Category 3: Flammable liquids – Category 3
Carcinogenicity – Category 2: Carcinogenicity – Category 2

* Data compared to the previous version altered.

(Contd. of page 10)