

Page 1/10

Safety Data Sheet according to WHS Regulations

1 Identification

· Other means of identification

· Trade name: 9732 WASH PRIMER HARDENER VOC

· Article number: 9732

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

FC9b Fillers, putiles, plasters, modelling day

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Générale de Peinture
 3 rue du Velay

91090 LISSÉS, France

- · Further information obtainable from: Product Safety Department
- · Emergency telephone number: Tel: +33(0)160867765

2 Hazard(s) Identification

· Classification of the substance or mixture



GHS02 flame

Flammable liquids – Category 2 H225 Highly flammable liquid and vapour.



GHS07

Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Specific target organ toxicity (single exposure) – H336 May cause drowsiness or dizziness.

Category 3

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)



Page 2/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 1)

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

acetone (>25-≤50 %)

propan-2-ol (>25-≤50 %)

methyl acetate (>10-≤25 %)

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1 acetone	>25- <i>≤</i> 50%	
67-63-0 propan-2-ol	>25- <i>≤</i> 50%	
79-20-9 methyl acetate	>10-≤25%	

(Contd. on page 3)



Page 3/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 2)

7664-38-2 phosphoric acid

≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΑU



Page 4/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 3)

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Appropriate engineering controls No further data; see section 7.

· Ingredients with limit va	alues that require monito	ring at the workplace:

67-64-1 acetone

WES Short-term value: 2375 mg/m³, 1000 ppm Long-term value: 1185 mg/m³, 500 ppm

67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm Long-term value: 983 mg/m³, 400 ppm

79-20-9 methyl acetate

WES Short-term value: 757 mg/m³, 250 ppm Long-term value: 606 mg/m³, 200 ppm

7664-38-2 phosphoric acid

WES Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

(Contd. on page 5)



Page 5/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 4)

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: LiquidColour: Grey

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/freezing point: -89.5 °C
 Initial boiling point and boiling range: 55.8-56.6 °C
 Flash point: <-18 °C

(Contd. on page 6)



Page 6/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 5)

· Flammability Highly flammable.

· Auto-ignition temperature: 425 °C

· Decomposition temperature: Not determined.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

· Lower: 2 Vol % · Upper: 16 Vol % 233 hPa · Vapour pressure at 20 °C: · Vapour pressure at 50 °C: 800 hPa 0.812 g/cm³ Density at 20 °C: · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined.

· Solubility in / Miscibility with

• water at 20 °C: 1 q/l

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

• Dynamic: Not determined. • Kinematic: Not determined.

· Solvent content:

• Organic solvents: 95.6 %
 • Water: 2.4 %
 • VOC (EC) 791.4 g/
 • Solids content: 0.0 %

· Other information

· Particle characteristics Not applicable.

· Physical state Fluid

10 Stability and Reactivity

· Reactivity No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

ΑU



Page 7/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 6)

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 ma/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

ΑU



Page 8/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information					
· UN-Number · ADG, IMDG, IATA	UN1263				
 UN proper shipping name ADG IMDG, IATA 	1263 PAINT PAINT				
· Transport hazard class(es) · ADG, IMDG, IATA					
· Class · Label	3 Flammable liquids. 3				
· Packing group · ADG, IMDG, IATA	II				
· Environmental hazards: · Marine pollutant:	No				
 Special precautions for user Hazard identification number (Kemle EMS Number: Stowage Category 	Warning: Flammable liquids. e r code): 33 F-E, <u>S-E</u> B				
· Transport in bulk according to Anne Marpol and the IBC Code	e x II of Not applicable.				

(Contd. on page 9)



Page 9/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 8)

· Transport/Additional information:

· ADG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2 · Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1263 PAINT, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

67-64-1 acetone S5
7664-38-2 phosphoric acid S5, S6

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: acetone (>25-≤50 %) propan-2-ol (>25-≤50 %)

(Contd. on page 10)



Page 10/10

Safety Data Sheet according to WHS Regulations

Date of issue: 11.11.2024 Version number 1.1 Revision: 11.11.2024

Trade name: 9732 WASH PRIMER HARDENER VOC

(Contd. of page 9)

methyl acetate (>10-≤25 %)

· Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids - Category 2: Flammable liquids - Category 2

Eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A Specific target organ toxicity (single exposure) - Category 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.