

Page 1/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

1 Identification

- · Product identifier
- · Trade name: 4464 2K RAPID PRIMER WHITE
- · Article number: 4464
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

none

· Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Manufacturer:

General Paint Company S.A.L.

P.O.Box 7623

Beirut, Lebanon

info@generalpaint.biz

www.generalpaint.biz

Importer:

Payless Services Pty. Ltd.

A Pacific Express Group Company

103 Eldridge Road

Bankstown, NSW, 2200

Australia

- · Further information obtainable from: Product Safety Department
- · Emergency telephone number:

Phone: +61 297085698 Mobile: +61 413703038

2 Hazard(s) Identification

· Classification of the substance or mixture



Flammable liquids – Category 3 H226 Flammable liquid and vapour.

(Contd. on page 2)



Page 2/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 1)



Skin corrosion/irritation – Category 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard statements

Flammable liquid and vapour.

Causes skin irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

1330-20-7 xylene

>10-*≤*25%

(Contd. on page 3)



Page 3/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

	(0	Contd. of page 2)
7727-43-7	barium sulphate, natural	>10- <i>≤</i> 25%
1332-58-7	Kaolin	>2.5- <i>≤</i> 10%
123-86-4	n-butyl acetate	>2.5- <i>≤</i> 10%
64742-95-6	Solvent naphtha (petroleum), light arom.	<i>≤</i> 2.5%
100-41-4	ethylbenzene	<i>≤</i> 2.5%
77-58-7	dibutyltin dilaurate	<i>≤</i> 2.5%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)



Page 4/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

Ingredients with limit values that require monitoring at the workplace:				
1330-	20-7 xylene			
WES	Short-term value: 655 mg/m³, 150 ppm			
	Long-term value: 350 mg/m³, 80 ppm			
7727-	43-7 barium sulphate, natural			
WES	Long-term value: 10 mg/m ³			
	inhalable dust			
1332-	58-7 Kaolin			
WES	Long-term value: 10 mg/m³			
	inhalable dust			
123-8	6-4 n-butyl acetate			
WES	Short-term value: 950 mg/m³, 200 ppm			
	Long-term value: 713 mg/m³, 150 ppm			
100-4	1-4 ethylbenzene			
WES	Short-term value: 543 mg/m³, 125 ppm			
	Long-term value: 434 mg/m³, 100 ppm			
77-58	-7 dibutyltin dilaurate			
NES	Short-term value: 0.2 mg/m ³			
	Long-term value: 0.1 mg/m³			
	as Šn, Sk: Note (g)			

(Contd. on page 5)



Page 5/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Liquid · Colour: White

Odour: CharacteristicOdour threshold: Not determined.

(Contd. on page 6)



Page 6/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 5)

· pH-value: Not determined.

· Change in condition

· Melting point/freezing point: Undetermined.

· Initial boiling point and boiling range: 124 °C · Flash point: 25 °C

Flammability (solid, gas): Flammable.
 Auto-ignition temperature: 370 °C

• **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

Lower:
Upper:
Vapour pressure at 20 °C:
Density at 20 °C:
Relative density
Vapour density
Vapour density
Vapour density
Not determined.
Evaporation rate

1.1 Vol %
7 Vol %
6.7 hPa
1.63 g/cm³
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

· Solvent content:

• Organic solvents: 24.9 %
 • VOC (EC) 406.6 g/l
 • Solids content: 74.7 %

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)



Page 7/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. (Contd. on page 8)



Page 8/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 7)

- Uncleaned packaging:
 Recommendation: Disposal must be made according to official regulations.

UN-Number ADG, IMDG, IATA	UN1263
UN proper shipping name ADG IMDG, IATA	1263 PAINT PAINT
Transport hazard class(es)	
ADG, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADG, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	
EMS Number:	F-E, <u>S-E</u>
Stowage Category	A
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
Transport category	Maximum net quantity per outer packaging: 1000 m 3
Transport category Tunnel restriction code	J D/E



Page 9/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 8)

· IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (ÉQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1263 PAINT, 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

A		
	ventory of Industrial Chemicals	
	Talc (Mg3H2(SiO3)4)	
1330-20-7	xylene	
7727-43-7	barium sulphate, natural	
1332-58-7	Kaolin	
123-86-4	n-butyl acetate	
100-41-4	ethylbenzene	
57-55-6	Propylene glycol	
112945-52-5	silicon dioxide	
64-19-7	acetic acid	
77-58-7	dibutyltin dilaurate	
108-65-6	2-methoxy-1-methylethyl acetate	
7647-01-0	hydrogen chloride	
78-83-1	butanol	
· Standard for	the Uniform Scheduling of Medicines and Poisons	
1330-20-7 xy	rlene	S6
64-19-7 ad	cetic acid	S2, S5, S6
7647-01-0 hy	ydrogen chloride	S5, S6
· Australia: Pr	iority Existing Chemicals	<u>'</u>
	•	

· GHS label elements

None of the ingredients is listed.

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 10)



Page 10/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 9)

· Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard statements

Flammable liquid and vapour.

Causes skin irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)



Page 11/11

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2024 Version number 1.1 Revision: 05.07.2024

Trade name: 4464 2K RAPID PRIMER WHITE

(Contd. of page 10)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flammable liquids – Category 3: Flammable liquids – Category 3
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

* Data compared to the previous version altered.