

Page 1/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

1 Identification

- · Product identifier
- · Trade name: 2100 VERSATILE CLEAR
- · Article number: 2100
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Information department: Product Safety Department
- · Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids - Category 3

H226 Flammable liquid and vapour.

GHS07

Skin Sensitizer - Category 1 Specific Target Organ Toxicity - Single Exposure - H336 May cause drowsiness or dizziness. Category 3

H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: n-butyl acetate

(Contd. on page 2)

CA



Page 2/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

(Contd. of page 1) methyl methacrylate 2,3-epoxypropyl neodecanoate bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol-ohydroxypoly(oxyethylene);a-3-(3-(2h-2-hydroxyethyl methacrylate · Hazard statements Flammable liquid and vapour. May cause an allergic skin reaction. May cause drowsiness or dizziness. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take actions to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 0 Health = 0FIRE Fire = 33 Reactivity = 0**REACTIVITY** 0



Page 3/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

(Contd. of page 2)

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous o	components:	
123-86-4	n-butyl acetate	10-30% w/w *
108-65-6	2-methoxy-1-methylethyl acetate	5-10% w/w *
1330-20-7	xylene	3-7% w/w *
64742-95-6	Solvent naphtha (petroleum), light arom.	3-7% w/w *
80-62-6	methyl methacrylate	0.1-1% w/w *
26761-45-5	2,3-epoxypropyl neodecanoate	0.1-1% w/w *
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	0.1-1% w/w *
104810-47-1	s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol- ohydroxypoly(oxyethylene);a-3-(3-(2h-	0.1-1% w/w *
868-77-9	2-hydroxyethyl methacrylate	0.1-1% w/w *
* Actual conc	entration ranges are withheld as a trade secret.	

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 4)

CA -



Page 4/13

(Contd. of page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

- Special hazards arising from the substance or mixture No further relevant information available. • Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class: 3
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see section 7.



Page 5/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

Coi	mponents with limit values that require monitoring at the workplace:
123	R-86-4 n-butyl acetate
EL	STEL: 150 ppm TWA: 50 ppm
EV	STEL: 950 mg/m³, 200 ppm TWA: 710 mg/m³, 150 ppm
108	-65-6 2-methoxy-1-methylethyl acetate
EL	STEL: 75 ppm TWA: 50 ppm
ΕV	TWA: 270 mg/m³, 50 ppm
133	0-20-7 xylene
EL	STEL: 150 ppm TWA: 100 ppm
EV	STEL: 650 mg/m³, 150 ppm TWA: 435 mg/m³, 100 ppm
80-	62-6 methyl methacrylate
EL	STEL: 100 ppm TWA: 50 ppm S(D)
EV	STEL: 100 ppm TWA: 50 ppm
ΞV	S(D) STEL: 100 ppm

- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 6)



Page 6/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

(Contd. of page 5) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor: · Odor threshold:	Characteristic Not determined.
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 124 °C
· Flash point:	25 °C
· Flammability:	Flammable.
· Auto igniting:	315 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
	(Contd. on page 7)



Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

		(Contd. of page
Explosion limits:		
Lower:	1.2 Vol %	
Upper:	7.5 Vol %	
Vapor pressure at 20 °C:	10.7 hPa	
Density at 20 °C:	1.01274 g/cm ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	vater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	45.5 %	
Coating VOC content:	45.52 %	
-	461.0 g/l / 3.85 lb/gal	
Material VOC content:	461.0 g/l / 3.85 lb/gal	
Solids content:	53.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

Page 7/13



Page 8/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

(Contd. of page 7)

· LD/LC50	xicity: values th	nat are relevant for classification:	
	n-butyl ad		
Oral	LD50		
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	e LC50/4 h	h >21 mg/l (rat)	
• on the e • Sensitiza • Addition The proc	kin: No irrit ye: No irrita ation: Sens al toxicolo luct shows	itant effect. tating effect. Isitization possible through skin contact. ogical information: s the following dangers according to internally approved calculat	tion methods
on the si on the e Sensitiza Addition The proc preparati Irritant	kin: No irrit ye: No irrit ation: Sens al toxicolo luct shows ons: genic cate	itant effect. tating effect. ositization possible through skin contact. ogical information: s the following dangers according to internally approved calculat egories	tion methods
on the si on the e Sensitiza Addition The proc preparati Irritant Carcinog	kin: No irrit ye: No irrit ation: Sens al toxicolo luct shows ons: genic cates ternationa	itant effect. tating effect. Insitization possible through skin contact. ogical information: s the following dangers according to internally approved calculat	
on the si on the e Sensitiza Addition The proc preparati Irritant Carcinog IARC (In 1330-20-	kin: No irrit ye: No irrit ation: Sen al toxicolo luct shows ons: genic cate ternationa 7 xylene	itant effect. tating effect. ositization possible through skin contact. ogical information: s the following dangers according to internally approved calculat egories	tion methods

2 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 9)

CA



Page 9/13

(Contd. of page 8)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT/TDG, ADR, IMDG, IATA	UN1263	
UN proper shipping name		
DOT/TDG	Paint	
ADR	1263 Paint	
IMDG, IATA	PAINT	
Transport hazard class(es)		
DOT/TDG (Transport dangerous goo	ods):	
Class	3 Flammable liquids	
Label	3	
ADR, IMDG, IATA		
Class	3 Flammable liquids	



Page 10/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

	(Contd. of page
· Packing group · DOT/TDG, ADR, IMDG, IATA	<i>III</i>
Environmental hazards: Marine pollutant:	No
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 30 F-E, <u>S-E</u> A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information: • DOT/TDG • Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1263 PAINT, 3, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1330-20-7 xylene

80-62-6 methyl methacrylate

100-41-4 ethylbenzene

(Contd. on page 11)

CA -



Page 11/13

Safety Data Sheet according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

TOCA /Toxio		d. of page
•	s Substances Control Act): n-butyl acetate	ACTIV
	2-methoxy-1-methylethyl acetate	ACTIV
1330-20-7		ACTIV
	methyl methacrylate	ACTIV
	2,3-epoxypropyl neodecanoate	ACTIV
	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	ACTIV
104810-47-1	s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol- ohydroxypoly(oxyethylene);a-3-(3-(2h-	ACTIV
79-41-4	methacrylic acid	ACTIV
	2-hydroxyethyl methacrylate	ACTIV
	methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate	ACTIV
	butanol	ACTIV
	dibutyItin dilaurate	ACTIV
556-67-2	octamethylcyclotetrasiloxane	ACTIV
100-41-4	ethylbenzene	ACTIV
107-98-2	1-methoxy-2-propanol	ACTIV
· Canadian su	bstance listings:	
· Canadian Do	omestic Substances List (DSL)	
	n-butyl acetate	
108-65-6	2-methoxy-1-methylethyl acetate	
1330-20-7	•	
80-62-6	methyl methacrylate	
	2,3-epoxypropyl neodecanoate	
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	
79-41-4	methacrylic acid	
	2-hydroxyethyl methacrylate	
	methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate	
78-83-1	butanol	
	dibutyltin dilaurate	
	octamethylcyclotetrasiloxane	
	ethylbenzene	
	1-methoxy-2-propanol	
	on-Domestic Substances List (NDSL) ngredients is listed.	
	<u> </u>	l. on page

CA



Page 12/13

Safety Data Sheet according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

Canadian Ingredient Disclosure list (limit 0.1%)	(Contd. of page ?
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
123-86-4 n-butyl acetate	
GHS label elements	
The product is classified and labeled according to the Globally Harmoni Hazard pictograms	ized System (GHS).
GHS02 GHS07	
Signal word Warning	
Hazard-determining components of labeling:	
n-butyl acetate	
methyl methacrylate	
2,3-epoxypropyl neodecanoate	
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	
s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol-ohy	/droxypoly(oxyetnylene);a-3-(
(2h-	
2-hydroxyethyl methacrylate	
Hazard statements	
Flammable liquid and vapour.	
May cause an allergic skin reaction.	
May cause drowsiness or dizziness.	
Precautionary statements	
If medical advice is needed, have product container or label at hand.	
Keep out of reach of children.	
Read label before use.	
Keep away from heat, hot surfaces, sparks, open flames and other ignit	tion sources. No smoking.
Ground and bond container and receiving equipment.	
Use explosion-proof [electrical/ventilating/lighting] equipment.	
Use non-sparking tools.	
Take actions to prevent static discharges.	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing should not be allowed out of the workplace	
Wear protective gloves/protective clothing/eye protection/face protectio	
IF ON SKIN (or hair): Take off immediately all contaminated clothing. R	
IF INHALED: Remove person to fresh air and keep comfortable for brea	athing.
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
	(Contd. on page ?



Page 13/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/08/2024

Reviewed on 10/08/2024

Trade name: 2100 VERSATILE CLEAR

(Contd. of page 12)

Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of the latest revision of the safety data sheet 10/08/2024 / 1.1
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative * Data compared to the previous version altered.