

Page 1/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

1 Identification

- · Product identifier
- · Trade name: 7100 VOC SUPERIOR CLEAR
- · Article number: 7100
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Liquids - Category 3 H226 Flammable liquid and vapour.

С Снѕот

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol-ohydroxypoly(oxyethylene);a-3-(3-(2hmethyl methacrylate

(Contd. on page 2)

⁻ CA



Page 2/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

	(Contd. of page 1
2-hydroxyethyl	
	66prntamethyl-4-piperidyl sebacate
· Hazard statem	
Flammable liqu	
	Illergic skin reaction.
Precautionary	
	e is needed, have product container or label at hand.
Keep out of rea	
Read label befo	
	n heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container	
	nd container and receiving equipment.
	proof [electrical/ventilating/lighting] equipment.
Use non-sparki	
	prevent static discharges.
	dust/fume/gas/mist/vapours/spray.
	vork clothing should not be allowed out of the workplace.
	gloves/protective clothing/eye protection/face protection.
	hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] ninated clothing and wash it before reuse.
	pr rash occurs: Get medical advice/attention.
	ent (see on this label).
	Jse CO2, powder or water spray to extinguish.
	rentilated place. Keep cool.
	ents/container in accordance with local/regional/national/international regulations.
 Classification NFPA ratings (
· NFPA raunys (scale 0 - 4)
He	alth = 0
Fi	re = 3
- 0 0 Re	eactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 1	lealth = 1
	ire = 3
	e = 3
	Gaturity – O

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

CA



Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Page 3/12

Trade name: 7100 VOC SUPERIOR CLEAR

		(Contd. of page 2)
· Dangerous d	components:	
123-86-4	n-butyl acetate	10-30% w/w *
110-43-0	2-Heptanone	10-30% w/w *
64742-95-6	Solvent naphtha (petroleum), light arom.	3-7% w/w *
123-54-6	pentane-2,4-dione	0.5-1.5% w/w *
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	0.1-1% w/w *
104810-47-1	s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol- ohydroxypoly(oxyethylene);a-3-(3-(2h-	0.1-1% w/w *
80-62-6	methyl methacrylate	0.1-1% w/w *
868-77-9	2-hydroxyethyl methacrylate	0.1-1% w/w *
82919-37-7	methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate	0.1-1% w/w *
* Actual conc	entration ranges are withheld as a trade secret.	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

<u>5 Fire-fighting measures</u>

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)



Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Page 4/12

(Contd. of page 3)



Page 5/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

(Contd. of page 4) · Control parameters · Components with limit values that require monitoring at the workplace: 123-86-4 n-butyl acetate EL STEL: 150 ppm TWA: 50 ppm EV STEL: 950 mg/m³, 200 ppm TWA: 710 mg/m³, 150 ppm 110-43-0 2-Heptanone EL TWA: 50 ppm EV TWA: 115 mg/m³, 25 ppm 123-54-6 pentane-2,4-dione EL Skin 80-62-6 methyl methacrylate EL STEL: 100 ppm TWA: 50 ppm S(D)EV STEL: 100 ppm TWA: 50 ppm · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls

· Personal protective equipment:

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to (Contd. on page 6)



Page 6/12

(Contd. of page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and cher	nical properties
---------------------	------------------

General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor: Odor threshold:	Characteristic Not determined.
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	127 °C
Flash point:	27 °C
Flammability:	Flammable.
Auto igniting:	370 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	1 Vol %
Upper:	7.5 Vol %
Vapor pressure at 20 °C:	10.7 hPa
Density at 20 °C:	0.993 g/cm ³
Relative density	Not determined.



Page 7/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

	(Contd. of	page 6
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	43.1 %	
Coating VOC content:	43.05 %	
-	427.5 g/l / 3.57 lb/gal	
Material VOC content:	427.5 g/l / 3.57 lb/gal	
Solids content:	55.6 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

CA



Page 8/12

(Contd. of page 7)

3

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

80-62-6 methyl methacrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT/TDG, ADR, IMDG, IATA

UN1263

(Contd. on page 9)

CA



Safety Data Sheet according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

	(Contd. of page
· UN proper shipping name · DOT/TDG · ADR · IMDG, IATA	Paint 1263 Paint PAINT
Transport hazard class(es)	
· DOT/TDG (Transport dangerous goods):	
Class	3 Flammable liquids
· Label · ADR, IMDG, IATA	3
Class	3 Flammable liquids
Label	3
· Packing group · DOT/TDG, ADR, IMDG, IATA	///
· Environmental hazards: · Marine pollutant:	No
• Special precautions for user • Hazard identification number (Kemler code):	
· EMS Number: · Stowage Category	<i>F-E,<u>S-E</u> A</i>
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT/TDG Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
	(Contd. on page

Page 9/12



Page 10/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

(Contd. of page 9) · ADR · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IMDG · Limited quantities (LQ) 5L Code: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 1263 PAINT, 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. а

	ngredients is listed.	
Section 313	(Specific toxic chemical listings):	
80-62-6 meth	hyl methacrylate	
TSCA (Toxic	Substances Control Act):	
123-86-4	n-butyl acetate	ACTIV
110-43-0	2-Heptanone	ACTIV
123-54-6	pentane-2,4-dione	ACTIV
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	ACTIV
104810-47-1	s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol- ohydroxypoly(oxyethylene);a-3-(3-(2h-	ACTIV
80-62-6	methyl methacrylate	ACTIV
868-77-9	2-hydroxyethyl methacrylate	ACTIV
82919-37-7	methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate	ACTIV
77-58-7	dibutyItin dilaurate	ACTIV
57-55-6	Propylene glycol	ACTIV
280-57-9	triethylenediamine	ACTIV
556-67-2	octamethylcyclotetrasiloxane	ACTIV



Page 11/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

O a ma alla m		(Contd. of page
	substance listings:	
	Domestic Substances List (DSL)	
123-86-4	n-butyl acetate	
110-43-0	2-Heptanone	
123-54-6	pentane-2,4-dione	
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	
80-62-6	methyl methacrylate	
868-77-9	2-hydroxyethyl methacrylate	
82919-37-7	methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate	
77-58-7	dibutyltin dilaurate	
57-55-6	Propylene glycol	
280-57-9	triethylenediamine	
556-67-2	octamethylcyclotetrasiloxane	
· Canadian	Non-Domestic Substances List (NDSL)	
None of the	e ingredients is listed.	
· Canadian	ngredient Disclosure list (limit 0.1%)	
None of the	e ingredients is listed.	
· Canadian	ngredient Disclosure list (limit 1%)	
123-86-4 r	-butyl acetate	
110-43-0 2	r-Heptanone	
123-54-6 p	entane-2,4-dione	
GHS label	elements	

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

 Hazard-determining components of labeling: bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate s-3-(3-(2h-benzotriazol-2-yl)-5-t-butyl-4-hydroxyphenyl)propionol-ohydroxypoly(oxyethylene);a-3-(3-(2hmethyl methacrylate 2-hydroxyethyl methacrylate methyl 1,2,2,6,66prntamethyl-4-piperidyl sebacate

(Contd. on page 12)

CA



Page 12/12

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/09/2024

Reviewed on 07/29/2024

Trade name: 7100 VOC SUPERIOR CLEAR

(Contd. of page 11) · Hazard statements Flammable liquid and vapour. May cause an allergic skin reaction. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take actions to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of the latest revision of the safety data sheet 10/09/2024 / 1.1
- Abbreviations and acronvms: ICAO: International Civil Aviation Organisation IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, ÉU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- * Data compared to the previous version altered.