

Page 1/9

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

1 Identification

- · Product identifier
- · Trade name: GO998 METALLIC MEDIUM
- · Article number: GO998
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

· Information department: Product Safety Department

• Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard identification

Classification of the substance or mixture
 Flammable Liquids - Category 4 H227 Combustible liquid.
 Label elements

- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms Void
- · Signal word Warning
- Hazard statements
 Combustible liquid.
- · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use CO2, powder or water spray to extinguish.

- Store in a well-ventilated place.
- Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 2 Reactivity = 0

(Contd. on page 2)

CA



according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

· HMIS-ratings (scale 0 - 4)

HEALTH0Health = 0FIRE2Fire = 2REACTIVITY0Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

		_
· Dangerou	s components:	
111-76-2	2-butoxyethanol	
7429-90-5	aluminium powder (stabilised)	
67-63-0	propan-2-ol	

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture** No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

(Contd. of page 1)

5-10% w/w 1-5% w/w * 1-5% w/w *

Page 2/9



according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

(Contd. of page 2)

Page 3/9

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Col	mponents with limit values that require monitoring at the workplace:
111	1-76-2 2-butoxyethanol
EL	TWA: 20 ppm
EV	TWA: 20 ppm
	Skin
67-	63-0 propan-2-ol
EL	STEL: 400 ppm
	TWA: 200 ppm
	(Contd. on page 4)
	CA



Page 4/9

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

(Contd. of page 3)

Trade name: GO998 METALLIC MEDIUM

EV STEL: 400 ppm TWA: 200 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	l chemical properties	
· Appearance:		
Form:	Fluid	
Color:	According to product description	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	7.4-8.4	
· Change in condition		
Melting point/Melting range:	Undetermined.	



according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Page 5/9

Trade name: GO998 METALLIC MEDIUM

		(Contd. of page 4
Boiling point/Boiling range:	100 °C	
· Flash point:	68 °C	
· Flammability:	Not applicable.	
· Auto igniting:	240 °C	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.032 g/cm ³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	9.0 %	
Water:	73.2 %	
Coating VOC content:	9.00 %	
-	379.0 g/l / 3.16 lb/gal	
Material VOC content:	92.8 g/l / 0.77 lb/gal	
Solids content:	17.6 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

CA



according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

111-76-2	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	1,200 mg/kg (ATE) 1,480 mg/kg (rat) 400 mg/kg (rab) 3 mg/l (ATE)

· Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

•	rnational Agency for Research on Cancer)	
	2-butoxyethanol	3
67-63-0	propan-2-ol	3
1330-20-7	xylene	3
100-41-4	ethylbenzene	2B
140-88-5	ethyl acrylate	2B
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

CA

(Contd. of page 5)

Page 6/9



according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

(Contd. on page 8)

Page 7/9

(Contd. of page 6)



Page 8/9

Safety Data Sheet according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

(Contd. of page 7)

15 Regulatory information

None of the ingredients is listed. Section 313 (Specific toxic chemical listings): 111-76-2 2-butoxyethanol 67-63-0 propan-2-ol 1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate TSCA (Toxic Substances Control Act): ACTI 7732-18-5 water, distilled, conductivity or of similar purity ACTI 111-76-2 2-butoxyethanol ACTI 67-63-0 propan-2-ol ACTI 1108-01-0 2-dimethylaminoethanol ACTI 108-65-6 2-methoxy-1-methylethyl acetate ACTI 100-41-4 ethylbenzene ACTI 110-41-4 ethylbenzene ACTI 100-41-4 ethylbenzene ACTI 100-41-4 ethylbenzene ACTI 111-76-2 2-butoxyethanol ACTI 110-78-5 ethyl acrylate ACTI 110-71-4 ethylbenzene ACTI 110-72 2-butoxyethanol ACTI 110-73 water, distilled, conductivity or of similar purity TIT 111-76-2 2-butoxye	Section 35	55 (extremely hazardous substances):	
67-63-0 propan-2-ol 1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity ACTi 111-76-2 2-butoxyethanol ACTi 67-63-0 propan-2-ol ACTi 108-01-0 2-dimethylaminoethanol ACTi 1330-20-7 xylene ACTi 130-20-7 xylene ACTi 140-88-5 ethylbenzene ACTi 130-20-7 xylene ACTi 140-88-5 ethyl acrylate ACTi 140-88-5 ethyl acrylate ACTi 7732-18-5 water, distilled, conductivity or of similar purity ACTi 711-76-2 2-butoxyethanol 67-63-0 67-63-0 propan-2-ol 108-01-0 2-dimethylaminoethanol 111-76-2 2-butoxyethanol 67-63-0 108-01-0 2-dimethylaminoethanol 108-01-0 2-dimethylaminoethanol 108-05-6 2-methoxy-1-methylethyl acetate 1330-20-7 xylene <	None of the	e ingredients is listed.	
67-63-0 propan-2-ol 1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity ACTi 111-76-2 2-butoxyethanol ACTi 67-63-0 propan-2-ol ACTi 108-01-0 2-dimethylaminoethanol ACTi 1330-20-7 xylene ACTi 130-20-7 xylene ACTi 100-41-4 ethylbenzene ACTi 140-88-5 ethyl acrylate ACTi 1730-20-7 xylene ACTi 140-88-5 ethyl acrylate ACTi 1740-88-5 ethyl acrylate ACTi 1740-88-5 ethyl acrylate ACTi Canadian Domestic Substances List (DSL) 7732-18-5 water, distilled, conductivity or of similar purity 111-76-2 111-76-2 2-butoxyethanol 67-63-0 67-63-0 propan-2-ol 108-01-0 108-01-0 2-dimethylaminoethanol 108-05-6 <t< th=""><th>Section 31</th><th>13 (Specific toxic chemical listings):</th><th></th></t<>	Section 31	13 (Specific toxic chemical listings):	
1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity ACTI 111-76-2 2-butoxyethanol ACTI 67-63-0 propan-2-ol ACTI 108-01-0 2-dimethylaminoethanol ACTI 108-65-6 2-methoxy-1-methylethyl acetate ACTI 1330-20-7 xylene ACTI 100-41-4 ethylbenzene ACTI 140-88-5 ethyl acrylate ACTI 140-88-5 ethyl acrylate ACTI 140-88-5 ethyl acrylate ACTI 140-88-5 ethyl acrylate ACTI 111-76-2 2-butoxyethanol ACTI 111-76-2 2-butoxyethanol ACTI 108-01-0 2-dimethylaminoethanol ACTI 108-01-0 2-dimethylaminoethanol Interview 108-01-0 2-dimethylaminoethanol Interview 108-01-0 2-dimethylaminoethanol Interview 108-01-0 2-dimethylamino	111-76-2	2-butoxyethanol	
100-41-4ethylbenzene140-88-5ethyl acrylate TSCA (Toxic Substances Control Act): 7732-18-5water, distilled, conductivity or of similar purityACTI111-76-22-butoxyethanolACTi67-63-0propan-2-olACTI108-65-62-methoxy-1-methylethyl acetate100-41-4ethylbenzene140-88-5ethyl acrylateACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTICanadian Domestic Substances List (DSL)7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-05-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylateCanadian Non-Domestic Substances List (NDSL)	67-63-0	propan-2-ol	
140-88-5ethyl acrylate TSCA (Toxic Substances Control Act): 7732-18-5water, distilled, conductivity or of similar purityACTi111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene4CTi140-88-5ethyl acrylateCanadian Domestic Substances List (DSL)7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate100-41-4ethylbenzene140-88-5ethyl acrylate Canadian Non-Domestic Substances List (NDSL)	1330-20-7	xylene	
TSCA (Toxic Substances Control Act):7732-18-5water, distilled, conductivity or of similar purityACTi111-76-22-butoxyethanolACTi67-63-0propan-2-olACTi108-01-02-dimethylaminoethanolACTi108-65-62-methoxy-1-methylethyl acetateACTi130-20-7xyleneACTi140-88-5ethyl benzeneACTi140-88-5ethyl acrylateACTi7732-18-5water, distilled, conductivity or of similar purityACTi111-76-22-butoxyethanolACTi67-63-0propan-2-olACTi100-41-4ethyl benzeneACTi111-76-22-butoxyethanolACTi111-76-22-butoxyethanolACTi111-76-22-butoxyethanolACTi108-01-02-dimethylaminoethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity111-76-22-butoxyethanolInsilar purity110-71-42-dimethylaminoethanolInsilar purity108-65-62-methoxy-1-methylethyl acetateInsilar purity100-41-4ethylbenzeneInsilar purity	100-41-4	ethylbenzene	
7732-18-5water, distilled, conductivity or of similar purityACTI111-76-22-butoxyethanolACTI67-63-0propan-2-olACTI108-01-02-dimethylaminoethanolACTI108-65-62-methoxy-1-methylethyl acetateACTI1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI• Canadian Domestic Substances List (DSL)T732-18-57732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate• Canadian Non-Domestic Substances List (NDSL)	140-88-5	ethyl acrylate	
111-76-22-butoxyethanolACTI67-63-0propan-2-olACTI108-01-02-dimethylaminoethanolACTI108-65-62-methoxy-1-methylethyl acetateACTI1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI• Canadian substance listings:-• Canadian Domestic Substances List (DSL)-7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate• Canadian Non-Domestic Substances List (NDSL)	TSCA (To	xic Substances Control Act):	
67-63-0propan-2-olACTI108-01-02-dimethylaminoethanolACTI108-65-62-methoxy-1-methylethyl acetateACTI1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI• Canadian substance listings:ACTI• Canadian Domestic Substances List (DSL)T732-18-57732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate	7732-18-5	water, distilled, conductivity or of similar purity	ACTIV
108-01-02-dimethylaminoethanolACTI108-65-62-methoxy-1-methylethyl acetateACTI1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI• Canadian substance listings:ACTI• Canadian Domestic Substances List (DSL)T732-18-57732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-067-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate• Canadian Non-Domestic Substances List (NDSL)			ACTIV
108-65-62-methoxy-1-methylethyl acetateACTI1330-20-7xyleneACTI1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI Canadian substance listings: ACTI Canadian Domestic Substances List (DSL) T732-18-57732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-067-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate Canadian Non-Domestic Substances List (NDSL)			ACTIV
1330-20-7xyleneACTI100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTI• Canadian substance listings:ACTI• Canadian Domestic Substances List (DSL)7732-18-57732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-067-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate• Canadian Non-Domestic Substances List (NDSL)			ACTIV
100-41-4ethylbenzeneACTI140-88-5ethyl acrylateACTICanadian substance listings:-Canadian Domestic Substances List (DSL)-7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate			ACTIV
140-88-5ethyl acrylateACTI• Canadian substance listings:•• Canadian Domestic Substances List (DSL)7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate• Canadian Non-Domestic Substances List (NDSL)			ACTIV
 Canadian substance listings: Canadian Domestic Substances List (DSL) 7732-18-5 water, distilled, conductivity or of similar purity 111-76-2 2-butoxyethanol 67-63-0 propan-2-ol 108-01-0 2-dimethylaminoethanol 108-65-6 2-methoxy-1-methylethyl acetate 1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate Canadian Non-Domestic Substances List (NDSL) 		-	ACTIV
 Canadian Domestic Substances List (DSL) 7732-18-5 water, distilled, conductivity or of similar purity 111-76-2 2-butoxyethanol 67-63-0 propan-2-ol 108-01-0 2-dimethylaminoethanol 108-65-6 2-methoxy-1-methylethyl acetate 1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate Canadian Non-Domestic Substances List (NDSL) 			ACTIV
7732-18-5water, distilled, conductivity or of similar purity111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylateCanadian Non-Domestic Substances List (NDSL)		•	
111-76-22-butoxyethanol67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylate· Canadian Non-Domestic Substances List (NDSL)			
67-63-0propan-2-ol108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylateCanadian Non-Domestic Substances List (NDSL)			
108-01-02-dimethylaminoethanol108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylateCanadian Non-Domestic Substances List (NDSL)			
108-65-62-methoxy-1-methylethyl acetate1330-20-7xylene100-41-4ethylbenzene140-88-5ethyl acrylateCanadian Non-Domestic Substances List (NDSL)			
1330-20-7 xylene 100-41-4 ethylbenzene 140-88-5 ethyl acrylate • Canadian Non-Domestic Substances List (NDSL)			
100-41-4 ethylbenzene 140-88-5 ethyl acrylate • Canadian Non-Domestic Substances List (NDSL)			
140-88-5 ethyl acrylate Canadian Non-Domestic Substances List (NDSL)			
Canadian Non-Domestic Substances List (NDSL)		•	
None of the ingradiants is listed		, , , , , , , , , , , , , , , , , , ,	
	None of the	e ingredients is listed.	
	None of the	e ingredients is listed.	



Page 9/9

Safety Data Sheet

according to HPR, Schedule 1

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: GO998 METALLIC MEDIUM

111-76-2	2-butoxyethanol
	propan-2-ol
GHS lab	lelements
The prod	ict is classified and labeled according to the Globally Harmonized System (GHS).
	ictograms Void
	ord Warning
-	tatements
Combust	ble liquid.
	onary statements
	advice is needed, have product container or label at hand.
Keep out	of reach of children.
Read lab	el before use.
	by from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	tective gloves/protective clothing/eye protection/face protection.
	fire: Use CO2, powder or water spray to extinguish.
	well-ventilated place.
	of contents/container in accordance with local/regional/national/international regulations.
Chemica	I safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of the latest revision of the safety data sheet 10/15/2024 / 1.0
- · Abbreviations and acronyms:

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.

CA -