

Page 1/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

1 Identification

- · Product identifier
- · Trade name: S7085 MEDIUM REDUCER
- · Article number: S7085
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

· Information department: Product Safety Department

· Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard identification

· Classification of the substance or mixture GHS02 Flame Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. GHS08 Health hazard Carcinogenicity – Category 2 H351 Suspected of causing cancer. GHS07 Acute Toxicity (Inhalation) - Category 4 H332 Harmful if inhaled. Skin Irritation - Category 2 H315 Causes skin irritation. Eye Irritation - Category 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure - H335 May cause respiratory irritation. Category 3 · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

∠) CA -



Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Page 2/13

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: 4-methylpentan-2-one xylene Solvent naphtha (petroleum), light arom. · Hazard statements Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take actions to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. (Contd. on page 3)

CA



Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 2) In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 23 Fire = 3FIRE REACTIVITY 0 Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
108-10-1	4-methylpentan-2-one	15-40% w/w *
108-65-6	2-methoxy-1-methylethyl acetate	10-30% w/w *
	n-butyl acetate	10-30% w/w *
1330-20-7		10-30% w/w *
64742-95-6	Solvent naphtha (petroleum), light arom.	3-7% w/w *
* Actual con	centration ranges are withheld as a trade secret.	

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 4)

Page 3/13



Page 4/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 3)

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

(Contd. on page 5)



Page 5/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 4)

- Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

STEL: 75 ppm TWA: 20 ppm
IARC 2B
STEL: 75 ppm TWA: 205 mg/m³, 50 ppm
65-6 2-methoxy-1-methylethyl acetate
STEL: 75 ppm TWA: 50 ppm
TWA: 270 mg/m³, 50 ppm
86-4 n-butyl acetate
STEL: 150 ppm TWA: 50 ppm
STEL: 950 mg/m³, 200 ppm TWA: 710 mg/m³, 150 ppm
0-20-7 xylene
STEL: 150 ppm TWA: 100 ppm



Page 6/13

(Contd. of page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

EV STEL: 650 mg/m³, 150 ppm TWA: 435 mg/m³, 100 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 7)



Safety Data Sheet according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 6)

Page 7/13

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Clear
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	115 °C
Flash point:	14 °C
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	315 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	10.8 Vol %
Vapor pressure at 20 °C:	10.7 hPa
Density at 20 °C:	0.86338 g/cm ³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.



Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Page 8/13

(Contd. of page 7)

Trade name: S7085 MEDIUM REDUCER

· Solvent content:
Organic solvents:
Coating VOC content:

100.0 % 100.00 % 863.4 g/l / 7.21 lb/gal 863.4 g/l / 7.21 lb/gal

• Other information

No further relevant information available.

10 Stability and reactivity

Material VOC content:

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

108-10-1 4-methylpentan-2-one

Oral	LD50	2,080 mg/kg (rat)
Dermal	LD50	2,080 mg/kg (rat) 16,000 mg/kg (rab)
Inhalative	LC50/4 h	11 mg/l (ATE)
		8.3-16.6 mg/l (rat)

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Harmful
- Irritant

(Contd. on page 9)



Page 9/13

(Contd. of page 8)

2B

3

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

108-10-1 4-methylpentan-2-one

1330-20-7 xylene

· NTP (National Toxicology Program)

None of the ingredients is listed.

2 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 10)



Page 10/13

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 9)

UN1263 Paint related material 1263 Paint related material PAINT RELATED MATERIAL 3 Flammable liquids
1263 Paint related material PAINT RELATED MATERIAL 3 Flammable liquids
•
•
•
2 Floremable liquide
3 Flammable liquids 3
1
Vo
<i>Warning: Flammable liquids 33 F-E,<u>S-E</u> B</i>
Not applicable.
On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

CA



Page 11/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

 ADR
 Excepted quantities (EQ)
 Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 IMDG
 Limited quantities (LQ)
 Excepted quantities (EQ)
 Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml
 UN "Model Regulation":

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 35	5 (extremely hazardous substances):	
None of the	e ingredients is listed.	
· Section 31	3 (Specific toxic chemical listings):	
108-10-1	4-methylpentan-2-one	
1330-20-7	xylene	
· TSCA (To	cic Substances Control Act):	
	4-methylpentan-2-one	ACTIVE
108-65-6	2-methoxy-1-methylethyl acetate	ACTIVE
123-86-4	n-butyl acetate	ACTIVE
1330-20-7	xylene	ACTIVE
· Canadian	substance listings:	
· Canadian	Domestic Substances List (DSL)	
108-10-1	4-methylpentan-2-one	

108-65-6 2-methoxy-1-methylethyl acetate

123-86-4 n-butyl acetate

1330-20-7 xylene

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

(Contd. on page 12)

CA -



Page 12/13

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

Consider Ingradient Disalecure list (limit 0 10/)	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
108-10-1 4-methylpentan-2-one	
123-86-4 n-butyl acetate	
GHS label elements The product is classified and labeled according to the Globally Harmonized Sys Hazard pictograms	stem (GHS).
GHS02 GHS07 GHS08	
Signal word Danger	
 4-methylpentan-2-one xylene Solvent naphtha (petroleum), light arom. Hazard statements Highly flammable liquid and vapour. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sour Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take actions to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. 	rces. No smoking.



Page 13/13

Safety Data Sheet

according to HPR, Schedule 1

Printing date 07/18/2024

Reviewed on 07/18/2024

Trade name: S7085 MEDIUM REDUCER

(Contd. of page 12) IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of the latest revision of the safety data sheet 07/18/2024 / 1.0
- · Abbreviations and acronyms: ICAO: International Civil Aviation Organisation IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative • * Data compared to the previous version altered.

CA -