

Page 1/10

# Safety data sheet according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>CC7 RADIANT RED</u>
<ul> <li>Article number: CC7</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. use as industrial paint</li> <li>Sector of Use SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)</li> <li>Product category PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay</li> <li>Application of the substance / the mixture refer to the relevant Technical Data Sheet</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Générale de Peinture,</li> <li>36 rue Scheffer</li> <li>75116 PARIS, France</li> <li>info@generalpaint.biz</li> </ul>
<ul> <li>Further information obtainable from: Product Safety Department</li> <li>1.4 Emergency telephone number: +33 (0)1 60 86 77 65</li> </ul>
SECTION 2: Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008) with its amendment Regulation (EU) 2020/878</li> <li>GHS02 flame</li> <li>Flam. Liq. 3 H226 Flammable liquid and vapour.</li> </ul>
STOT SE 3 H336 May cause drowsiness or dizziness.
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the GB CLP regulation.</li> </ul>
(Contd. on page 2)



Page 2/10

## Safety data sheet according to UK REACH

Printing date 25.03.2025

EINECS: 204-658-1

Reg.nr.: 01-2119485493-29

Version number 1.1

Revision: 16.11.2024

(Contd. on page 3)

GB

Trade name: CC7 RADIANT RED

· Hazard pictogra	ns	(Contd. of page
GHS02 GHS07		
• Signal word War	ning	
· Hazard-determin	ing components of labelling:	
n-butyl acetate		
Hazard statemer		
H226 Flammable		
	drowsiness or dizziness.	
Precautionary s		
P101	If medical advice is needed, have product container	or label at hand.
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	man and other invition accuracy
P210	Keep away from heat, hot surfaces, sparks, open fla	imes and other ignition sources
DO 44	No smoking.	winmont
P241 P261	Use explosion-proof [electrical/ventilating/lighting] eq Avoid breathing dust/fume/gas/mist/vapours/spray.	juipment.
-	F ON SKIN (or hair): Take off immediately all con	taminated clothing Pinse ski
r 303+r 301+r 33	with water [or shower].	itaninaleu ciolining. Trinse ski
P405	Store locked up.	
P501	Dispose of contents/container in accordance	with local/regional/nationa
1001	international regulations.	
Additional infor	•	
Contains methyl i	nethacrylate, 2-hydroxyethyl methacrylate. May produ	ce an allergic reaction.
2.3 Other hazard		5
Results of PBT a	nd vPvB assessment	
• PBT: Not applica	le.	
• vPvB: Not application	ble.	
	, دو د د <i>ر م</i> د <i>ا</i> رد	
SECTION 3: C	omposition/information on ingredients	
22 Chamical at	racterisation: Mixtures	
	racterisation: wixtures ure of substances listed below with nonhazardous add	ditions
-		
Dangerous com	n-butyl acetate	
CAS: 123-86-4		>25- <i>≤</i> 50%

🚸 Flam. Liq. 3, H226; 伙 STOT SE 3, H336



Page 3/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

### Trade name: CC7 RADIANT RED

	(Cd	ontd. of page 2)
CAS: 80-62-6	methyl methacrylate	<i>≤</i> 2.5%
EINECS: 201-297-1	🚸 Flam. Liq. 2, H225; 🚸 Skin Irrit. 2, H315; Skin Sens. 1,	
Reg.nr.: 01-2119452498-28	H317; STOT SE 3, H335	
CAS: 868-77-9	2-hydroxyethyl methacrylate	<i>≤</i> 2.5%
EINECS: 212-782-2	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Reg.nr.: 01-2119490169-29		
· Additional information: Ec	r the wording of the listed hazard phrases refer to section 16	

**ditional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 4)



Page 4/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

Trade name: CC7 RADIANT RED

### · 6.4 Reference to other sections

(Contd. of page 3)

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.
- **SECTION 8: Exposure controls/personal protection**
- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m<sup>3</sup>, 200 ppm Long-term value: 724 mg/m<sup>3</sup>, 150 ppm

### 80-62-6 methyl methacrylate

WEL Short-term value: 416 mg/m<sup>3</sup>, 100 ppm Long-term value: 208 mg/m<sup>3</sup>, 50 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 5)

GB



Page 5/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

(Contd. of page 4)

### Trade name: CC7 RADIANT RED

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection:



Tightly sealed goggles

<ul> <li>9.1 Information on basic physical a</li> <li>General Information</li> </ul>	and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Red	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	ange: 124-128 °C	



Page 6/10

## Safety data sheet according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

Trade name: CC7 RADIANT RED

	(Contd. of page 5)
· Flash point:	25 ℃
· Flammability	Flammable.
· Auto-ignition temperature:	315 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits: Lower: Upper:	1.2 Vol % 7.5 Vol %
<ul> <li>Vapour pressure at 20 °C:</li> <li>Vapour pressure at 50 °C:</li> </ul>	10.7 hPa 55 hPa
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.043 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: VOC (EC)</li> </ul>	40.1 % 418.3 g/l
Solids content:	59.7 %
· 9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

<sup>10.2</sup> Chemical stability

GB



Page 7/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

Trade name: CC7 RADIANT RED

(Contd. of page 6)

- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

#### 123-86-4 n-butyl acetate

	-	
Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

### · PBT: Not applicable.

(Contd. on page 8)



### Page 8/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

(Contd. of page 7)

Trade name: CC7 RADIANT RED

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

**SECTION 13: Disposal considerations** 

· 13.1 Waste treatment methods

• **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	1263 PAINT PAINT
<ul> <li>14.3 Transport hazard class(es)</li> <li>ADR, IMDG, IATA</li> </ul>	NOT APPLICABLE
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. F-E, <u>S-E</u> A
<ul> <li>14.7 Transport in bulk according to Annex II Marpol and the IBC Code</li> </ul>	of Not applicable.

(Contd. on page 9)

GB -



Page 9/10

### Safety data sheet

according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

Trade name: CC7 RADIANT RED

	(Contd. of page 8
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	3 D/E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· UN "Model Regulation":	UN 1263 PAINT, 3, III

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

### · Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

### · Reportable explosives precursors

None of the ingredients is listed.

### · Reportable poisons

None of the ingredients is listed.

### · Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

GB



Page 10/10

# Safety data sheet according to UK REACH

Printing date 25.03.2025

Version number 1.1

Revision: 16.11.2024

Trade name: CC7 RADIANT RED

(Contd. of page 9)

	Other information
	based on our present knowledge. However, this shall not constitute a guarantee f ct features and shall not establish a legally valid contractual relationship.
Relevant phrases	
	nable liquid and vapour.
H226 Flammable li	
H315 Causes skin	
	n allergic skin reaction.
H319 Causes serio	
	espiratory irritation.
H336 May cause d	Irowsiness or dizziness.
Department issui	ng SDS: Product safety department
Contact: N/A	
Abbreviations and	d acronyms:
RID: Rèalement interna	tional concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concernir
the International Transp	port of Dangerous Goods by Rail)
ICAO: International Civi	
ADR: Accord relatif au	transport international des marchandises dangereuses par route (European Agreement Concerning th
	f Dangerous Goods by Road)
	ritime Code for Dangerous Goods
IATA: International Air 7	
	ised System of Classification and Labelling of Chemicals
	entory of Existing Commercial Chemical Substances of Notified Chemical Substances
	ts Service (division of the American Chemical Society)
VOC: Volatile Organic (	
LC50: Lethal concentrat	
LD50: Lethal dose, 50 p	
PBT: Persistent, Bioacc	
vPvB: very Persistent a	nd very Bioaccumulative
Flam. Liq. 2: Flammable	
Flam. Liq. 3: Flammable	
	ion/irritation – Category 2
	damage/eye irritation – Category 2
Skin Sens. 1: Skin sens	sitisation – Category 1
STOT SE 3: Specific tai	rget organ toxicity (single exposure) – Category 3 to the previous version altered.