


Page 1/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024





Page 2/13

Safety data sheet


according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE





Page 3/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

(Contd. of page 2)

Trade name: 636 2K MOLYBDATE ORANGE

· Additional information:

Contains methyl methacrylate, 2,3-epoxypropyl neodecanoate, 2-hydroxyethyl methacrylate. May produce an allergic reaction.

2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-butyl acetate	>10- <i>≤</i> 25%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119486136-34 05-2116602925-45 01-2119488216-32		>2.5- <i>≤</i> 10%
CAS: 12656-85-8 EINECS: 235-759-9	Lead chromate molybdate sulfate red Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	>2.5- <i>≤</i> 10%
CAS: 108-65-6 EINECS: 203-603-9 Reg.nr.: 01-2119475791-29 05-2116413226-56		>2.5- <i>≤</i> 10%
CAS: 64742-95-6 EINECS: 265-199-0 Reg.nr.: 01-2119455851-35 05-2116598517-27	Solvent naphtha (petroleum), light arom. 〈 Acute Tox. 4, H332; STOT SE 3, H335	<i>≤</i> 2.5%
CAS: 1309-64-4 EINECS: 215-175-0	antimony trioxide � Carc. 2, H351	<i>≤</i> 2.5%
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28	methyl methacrylate Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	<i>≤</i> 2.5%
CAS: 26761-45-5 EINECS: 247-979-2 Reg.nr.: 01-2119431597-33	2,3-epoxypropyl neodecanoate Acute Tox. 3, H331; A Aquatic Chronic 2, H411; A Skin Irrit. 2, H315; Skin Sens. 1, H317	<i>≤</i> 2.5%



Page 4/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

	(Contd. of page 3)
CAS: 868-77-9 2-hydroxyethyl methacrylate	<i>≤</i> 2.5%
EINECS: 212-782-2 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Se	ns. 1. H317
Reg.nr.: 01-2119490169-29	

SVHC

12656-85-8 Lead chromate molybdate sulfate red

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.
- SECTION 5: Firefighting measures
- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 5)

GB



Page 5/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

(Contd. of page 4)

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 6.4 Reference to other sections

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

1330-20-7 xylene

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV

(Contd. on page 6)

GB



Page 6/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

12650	6-85-8 Lead chromate molybdate sulfate red (Contd. of page
	Long-term value: 0.01 0.025* mg/m ³
	as Cr; Carc, Sen, BMGV; *process generated
108-6	5-6 2-methoxy-1-methylethyl acetate
	Short-term value: 548 mg/m ³ , 100 ppm
	Long-term value: 274 mg/m ³ , 50 ppm
	Sk
1309-	-64-4 antimony trioxide
WEL	Long-term value: 0.5 mg/m ³
	as Šb
80-62	2-6 methyl methacrylate
WEL	Short-term value: 416 mg/m ³ , 100 ppm
	Long-term value: 208 mg/m³, 50 ppm
Ingre	dients with biological limit values:
1330-	20-7 xylene
BMG	V 650 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: methyl hippuric acid
12656	6-85-8 Lead chromate molybdate sulfate red
BMG	V 10 µmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: chromium
Addit	tional information: The lists valid during the making were used as basis.
82F	xposure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing
	hands before breaks and at the end of work.
	protective clothing separately.
	iratory protection:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or long
expos	sure use self-contained respiratory protective device.
Prote	ection of hands:
m	
1112	Protective gloves
Mis	Protective gloves

- GB -



Page 7/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

(Contd. of page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and o General Information 	chemical properties
· Appearance:	
Form:	Liquid
Colour:	Orange
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range. 	Undetermined. : 124 °C
· Flash point:	25 ℃
· Flammability	Flammable.
· Auto-ignition temperature:	315 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
	(Contd. on page 8)



Page 8/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

	(Contd. of page 7
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
· Vapour pressure at 20 °C:	10.7 hPa
· Density at 20 °C:	1.102 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with 	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	42.0 %
VÕC (EC)	462.9 g/l
Solids content:	57.5 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.3 Fossibility of nazardous reactions** No dangerous reactions know
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 9)

GB -



Page 9/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

(Contd. of page 8)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

12656-85-8 Lead chromate molybdate sulfate red

Oral LD50 >5,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity May cause cancer.
- · Reproductive toxicity
- May damage the unborn child. Suspected of damaging fertility.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 10)

GB



Page 10/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 9)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 Recommendation
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1263 PAINT, ENVIRONMENTALLY HAZARDOUS PAINT
· 14.3 Transport hazard class(es)	NOT APPLICABLE
· ADR, IMDG	
The second secon	
· Class	3 Flammable liquids.
· Label	3
· Class	3 Flammable liquids.
	3
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
· 14.5 Environmental hazards:	
· Marine pollutant:	No Symbol (fish and tree)
	(Contd. on page 1



Page 11/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

	(Contd. of page 10)
· Special marking (ADR):	Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code 	f Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 12)

GB



Page 12/13

Safety data sheet

according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

(Contd. of page 11) · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV) 12656-85-8 Lead chromate molybdate sulfate red Sunset date: 2015-05-21 · National regulations: · Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous). · Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. Other regulations, limitations and prohibitive regulations · Substances of very high concern (SVHC) according to UK REACH 12656-85-8 Lead chromate molybdate sulfate red · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

(Contd. on page 13)

GB



Page 13/13

Safety data sheet according to UK REACH

Printing date 07.02.2025

Version number 1.1

Revision: 29.07.2024

Trade name: 636 2K MOLYBDATE ORANGE

	(Contd. of page
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Depart	ment issuing SDS: Product safety department
Contac	•
Abbrev	viations and acronyms:
RID: Règ	glement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Conce national Transport of Dangerous Goods by Rail)
ICAO: Int	ternational Civil Aviation Organisation
Internatio	cord relatif au transport international des marchandises dangereuses par route (European Agreement Concernin onal Carriage of Dangerous Goods by Road)
	ternational Maritime Code for Dangerous Goods
	ernational Air Transport Association
	obally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	emical Abstracts Service (division of the American Chemical Society)
	latile Organic Compounds (USA, EU) ethal concentration. 50 percent
	sthal dose, 50 percent
	rsistent, Bioaccumulative and Toxic
	ry Persistent and very Bioaccumulative
	g. 2: Flammable liquids – Category 2
	3: Flammable liquids – Category 3
	x. 4: Acute toxicity – Category 4
	x. 3: Acute toxicity – Category 3
	2: Skin corrosion/irritation – Category 2
Eye Irrit.	2: Serious eye damage/eye irritation – Category 2
Skin Sen	ns. 1: Skin sensitisation – Category 1
Carc. 1B	: Carcinogenicity – Category 1B
	Carcinogenicity – Category 2
	: Reproductive toxicity – Category 1A
	E 3: Specific target organ toxicity (single exposure) – Category 3
	E 2: Specific target organ toxicity (repeated exposure) – Category 2
	Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* Doto	compared to the previous version altered.