


Page 1/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024





Page 2/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

	(Contd. of page 1)
2.2 Label ele	ements
	cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. ograms
	$\mathbf{\hat{\mathbf{A}}}$
GHS02 GH	1S07
Signal word	Warning
Hazard-dete	rmining components of labelling:
	er of hexamethylene diisocyanate
Hazard state	ements
	able liquid and vapour.
	s skin irritation.
	s serious eye irritation.
	ause respiratory irritation.
	ry statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources
F 2 10	No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
	-P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir
r 303 + r 307+	with water [or shower].
P305+ P351	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac
1 30347 3374	lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P405 P501	Dispose of contents/container in accordance with local/regional/national
1 001	international regulations.
Additional in	
	amethylene-di-isocyanate. May produce an allergic reaction.
2.3 Other ha	
	Pards PVB assessment
PBT: Not ap	
vPvB: Not a	opiicable.

(Contd. on page 3)



Page 3/11

Safety data sheet

according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 28182-81-2 Reg.nr.: 01-2119485796-17	Homopolymer of hexamethylene diisocyanate � Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	>50- <i>≤</i> 100%	
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119486136-34 05-2116602925-45 01-2119488216-32	xylene Flam. Liq. 3, H226; O Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	>25- <i>≤</i> 50%	
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-butyl acetate � Flam. Liq. 3, H226; 10 STOT SE 3, H336	>2.5- <i>≤</i> 10%	
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)

GB



Page 4/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 5)



Page 5/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

1330	
	20-7 xylene
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV
123-8	6-4 n-butyl acetate
	Short-term value: 966 mg/m³, 200 ppm
	Long-term value: 724 mg/m³, 150 ppm
· Ingre	dients with biological limit values:
1330	20-7 xylene
BMG	/ 650 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: methyl hippuric acid
· Addi	ional information: The lists valid during the making were used as basis.
· Resp In ca	contact with the eyes and skin.
expos	iratory protection:
expos	iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longe sure use self-contained respiratory protective device.
expos Prote	iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longe sure use self-contained respiratory protective device. ction of hands: Protective gloves love material has to be impermeable and resistant to the product/ the substance/ the preparation o missing tests no recommendation to the glove material can be given for the product/ the ration/ the chemical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the dation
expos Prote	iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or long sure use self-contained respiratory protective device. ction of hands: Protective gloves love material has to be impermeable and resistant to the product/ the substance/ the preparation o missing tests no recommendation to the glove material can be given for the product/ the ration/ the chemical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the

(Contd. on page 6)



Page 6/11

Safety data sheet

according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

(Contd. of page 5)

Trade name: H800 2K HARDENER

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physic	cal and chemica	I properties
-------------------	-----------------	--------------

General Information	
Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rang	ge: 137 °C
Flash point:	25 ℃
Flammability	Flammable.
Auto-ignition temperature:	500 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	7 Vol %
Vapour pressure at 20 °C:	6.7 hPa
Density at 20 °C:	1.04578 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.

- GB



Page 7/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

	(Contd. of page 6
· Evaporation rate	Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: VOC (EC) 	39.5 % 413.2 g/l
Solids content:	60.4 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB



Page 8/11

Safety data sheet

according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

(Contd. of page 7)

Trade name: H800 2K HARDENER

- **Reproductive toxicity** Based on available data, the classification criteria are not met. • **STOT-single exposure**
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information • 14.1 UN-Number UN1263 • ADR, IMDG, IATA UN1263 • 14.2 UN proper shipping name 1263 PAINT • ADR 1263 PAINT • IMDG, IATA PAINT



Page 9/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

	(Contd. of page 8
14.3 Transport hazard class(es)	NOT APPLICABLE
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	111
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user Hazard identification number (Kemler code): 	Warning: Flammable liquids. 30
· EMS Number: · Stowage Category	F-E, <u>S-E</u> A
 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code 	f Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
 Transport category Tunnel restriction code 	3 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· UN "Model Regulation":	UN 1263 PAINT, 3, III

(Contd. on page 10)



Page 10/11

Safety data sheet

according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

- · Reportable poisons
- None of the ingredients is listed.
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Product safety department
- · Contact: N/A

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)



Page 11/11

Safety data sheet according to UK REACH

Printing date 12.11.2024

Version number 1.2

Revision: 12.11.2024

Trade name: H800 2K HARDENER

14 TA. International Air Transport Accordian	(Contd. of page 10)
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
\cdot * Data compared to the previous version altered.	
	GB