

Page 1/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

# SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: G101 1K PUTTY FINE BEIGE
- · Article number: G101
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. use as industrial paint For professional use only
- Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category
   PC9a Coatings and paints, thinners, paint removers
   PC9b Fillers, putties, plasters, modelling clay
- Application of the substance / the mixture refer to the relevant Technical Data Sheet knifing
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Générale de Peinture, 70 Rue Cortambert 75116 Paris, France Tel:+33(0)175293559 info@generalpaint.biz
- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number: Phone : :+33 (0)6 07 87 13 41

### SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008) with its amendment Regulation (EU) 2020/878

flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



(Contd. on page 2)



Page 2/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment


Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE





Page 3/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

(Contd. of page 2)

Trade name: G101 1K PUTTY FINE BEIGE

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 108-88-3 EINECS: 203-625-9 Reg.nr.: 01-2119471310-51	toluene	>10- <i>≤</i> 25%
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-butyl acetate � Flam. Liq. 3, H226; � STOT SE 3, H336	>2.5- <i>≤</i> 10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol � Flam. Liq. 2, H225; � Eye Irrit. 2, H319; STOT SE 3, H336	>2.5- <i>≤</i> 10%
CAS: 123-42-2 EINECS: 204-626-7	diacetone alcohol, technical  Output: Description: Output:	>2.5- <i>≤</i> 10%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119486136-34 05-2116602925-45 01-2119488216-32		>2.5- <i>≤</i> 10%
CAS: 117-84-0 EINECS: 204-214-7	dioctyl phthalate 🚯 Repr. 2, H361	<i>≤</i> 2.5%

# SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

<sup>(</sup>Contd. on page 4)

GB



Page 4/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

(Contd. of page 3)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
   CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
   For safety reasons unsuitable extinguishing agents: Water with full jet
- For safety reasons unsultable extinguishing agents: water with t
   5.2 Special hazards arising from the substance or mixture
- *5.2 Special nazards arising from the substance or mixture* During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 5)

GB



**Safety data sheet** according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Page 5/12

Trade name: G101 1K PUTTY FINE BEIGE

	(Contd. o	f page
Infor	nation about fire - and explosion protection:	, page
	gnition sources away - Do not smoke.	
Prote	t against electrostatic charges.	
Keep	respiratory protective device available.	
7.2 C	onditions for safe storage, including any incompatibilities	
Stora		
Requ	rements to be met by storerooms and receptacles: Store in a cool location.	
	nation about storage in one common storage facility: Not required.	
	er information about storage conditions:	
	container tightly sealed.	
	in cool, dry conditions in well sealed receptacles. <b>ge class:</b> 3	
	class. 3 ecific end use(s) No further relevant information available.	
7.0 0		
SEC	FION 8: Exposure controls/personal protection	
8.1 C	ontrol parameters	
Addit	ontrol parameters	
Addit Ingre	ontrol parameters onal information about design of technical facilities: No further data; see section 7.	
Addit Ingre 108-8	ontrol parameters conal information about design of technical facilities: No further data; see section 7. lients with limit values that require monitoring at the workplace:	
Addit Ingre 108-8	ontrol parameters fonal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm	
Addit Ingre 108-8	ontrol parameters ional information about design of technical facilities: No further data; see section 7. lients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm	
Addit Ingre 108-8 WEL	ontrol parameters fonal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm	_
Addit Ingre 108-8 WEL 123-8	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m <sup>3</sup> , 200 ppm	
Addit Ingre 108-8 WEL 123-8	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm Sk 5-4 n-butyl acetate	
Addin Ingre 108-8 WEL 123-8 WEL	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m <sup>3</sup> , 200 ppm	
Addia Ingre 108-8 WEL 123-8 WEL 67-63	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm 0 propan-2-ol	
Addia Ingre 108-8 WEL 123-8 WEL 67-63	ontrol parameters fonal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m <sup>3</sup> , 100 ppm Long-term value: 191 mg/m <sup>3</sup> , 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m <sup>3</sup> , 200 ppm Long-term value: 724 mg/m <sup>3</sup> , 150 ppm	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm D propan-2-ol Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL 123-4	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm 0 propan-2-ol Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm 2-2 diacetone alcohol, technical	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL 123-4	ontrol parameters conal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk 5-4 n-butyl acetate Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm D propan-2-ol Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL 123-4 WEL	<ul> <li>Antrol parameters</li> <li>Antrol parameters</li> <li>Antrol parameters</li> <li>Antron about design of technical facilities: No further data; see section 7.</li> <li>Antrop at the workplace:</li> <li></li></ul>	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL 123-4 WEL 123-4	ontrol parameters onal information about design of technical facilities: No further data; see section 7. dients with limit values that require monitoring at the workplace: 3-3 toluene Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm Sk 6-4 n-butyl acetate Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm 0 propan-2-ol Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm 2-2 diacetone alcohol, technical Short-term value: 362 mg/m³, 75 ppm Long-term value: 241 mg/m³, 50 ppm 20-7 xylene	
Addia Ingre 108-8 WEL 123-8 WEL 67-63 WEL 123-4 WEL 123-4	<ul> <li>Antrol parameters</li> <li>Antrol parameters</li> <li>Antrol parameters</li> <li>Antron about design of technical facilities: No further data; see section 7.</li> <li>Antrol parameters</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat require monitoring at the workplace:</li> <li>Antrop and the stat mg/m<sup>3</sup>, 100 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 200 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 200 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 150 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 500 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 500 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 500 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 400 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 75 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 75 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 500 ppm</li> <li>Antrop and the stat mg/m<sup>3</sup>, 50 ppm</li> </ul>	

(Contd. on page 6)

GB



Page 6/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

(Contd. of page 5)

· Ingredients with biological limit values:

#### 1330-20-7 xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

GB



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

(Contd. of page 6)

Trade name: G101 1K PUTTY FINE BEIGE

· Eye protection:



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

General Information	
Appearance: Form:	outty.
Form. Colour:	putty Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	78 °C
Flash point:	4 °C
Flammability (solid, gas):	Highly flammable.
Auto-ignition temperature:	370 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7 Vol %
Vapour pressure at 20 °C:	29 hPa
Density at 20 °C:	1.51 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

GB



Page 8/12

# Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

	(Contd. of page
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	28.7 %
VÕC (EC)	433.5 g/l
Solids content:	68.8 %
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 9)

GB



Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

(Contd. of page 8)

Page 9/12

Trade name: G101 1K PUTTY FINE BEIGE

• **Reproductive toxicity** 

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard

May be fatal if swallowed and enters airways.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA

UN1263

(Contd. on page 10)



Page 10/12

**Safety data sheet** according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

· 14.2 UN proper shipping name · ADR · IMDG, IATA	(Contd. of page 1263 PAINT PAINT
• 14.3 Transport hazard class(es)	NOT APPLICABLE
· ADR, IMDG, IATA	
· Class	4.1 Flammable solids, self-reactive substance polymerizing substances and solid desensitize explosives 4.1
· 14.4 Packing group · ADR, IMDG, IATA	11
· 14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives 40 F-E, <u>S-E</u> B
<ul> <li>14.7 Transport in bulk according to Annex II o Marpol and the IBC Code</li> </ul>	f Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 E
· IMDG · Limited quantities (LQ)	1 kg
	(Contd. on page



Page 11/12

# Safety data sheet according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

	(Contd. of page 10)
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1263 PAINT, 4.1, II

# SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

### · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

(Contd. on page 12)



Page 12/12

**Safety data sheet** according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 23.05.2024

Version number 1.0

Revision: 23.05.2024

Trade name: G101 1K PUTTY FINE BEIGE

(Contd. of page 11)
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging fertility or the unborn child.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
Department issuing SDS: Product safety department
· Contact: N/A
· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative Flam. Lig. 2: Flammable liguids – Category 2
Flam. Lig. 2: Flammable liquids – Category 2 Flam. Lig. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 2: Reproductive toxicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
* Data compared to the previous version altered.
GB