

Page 1/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

1 Identification

- · Product identifier
- · Trade name: GO942 ORANGE LUMINA
- · Article number: G0942
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@gpccoatings.com

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 3 H226 Flammable liquid and vapor.

GHS07

H319 Causes serious eye irritation.

Eye Irritation 2A

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Warning
 Hazard statements
 Flammable liquid and vapor.
 Causes serious eye irritation.

(Contd. on page 2)



acc. to OSHA HCS


Printing date 03/28/2025

71-36-3 butan-1-ol

Reviewed on 03/28/2025

Page 2/12

Trade name: GO942 ORANGE LUMINA



(Contd. on page 3)

>2.5-*≤*10%



Page 3/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

US



Page 4/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

Protective	Action Criteria for Chemicals	(Contd. of page 3
PAC-1:		
111-76-2	2-butoxyethanol	60 ppm
71-36-3	butan-1-ol	60 ppm
24937-78-8	Ethyl vinyl acetate copolymer	30 mg/m ³
108-01-0	2-dimethylaminoethanol	3.7 ppm
PAC-2:	·	t
111-76-2	2-butoxyethanol	120 ppm
71-36-3	butan-1-ol	800 ppm
24937-78-8	Ethyl vinyl acetate copolymer	330 mg/m ³
108-01-0	2-dimethylaminoethanol	12 ppm
PAC-3:		
111-76-2	2-butoxyethanol	700 ppm
71-36-3	butan-1-ol	8000** ppm
24937-78-8	Ethyl vinyl acetate copolymer	2,000 mg/m ³
108-01-0	2-dimethylaminoethanol	72 ppm

7 Handling and storage

· Precautions for safe handling No special precautions are necessary if used correctly.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

[·] Handling:

US



Page 5/12

Safety Data Sheet acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

	(Contd. of page 4
Cont	rol parameters
	ponents with limit values that require monitoring at the workplace:
	76-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI, A3
71-3	6-3 butan-1-ol
PEL	Long-term value: 300 mg/m³, 100 ppm
REL	Ceiling limit value: 150 mg/m³, 50 ppm Skin
TLV	Long-term value: 61 mg/m³, 20 ppm
Ingre	edients with biological limit values:
111-	76-2 2-butoxyethanol
Addi Expo Pers Gene Keep Imme Wasi Avoid Avoid Brea	Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis) tional information: The lists that were valid during the creation were used as basis. osure controls onal protective equipment: eral protective and hygienic measures: a way from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. I contact with the eyes. I contact with the eyes and skin. thing equipment: Not required. ection of hands:
Marks In	Protective gloves
Due prepa Sele	glove material has to be impermeable and resistant to the product/ the substance/ the preparatior to missing tests no recommendation to the glove material can be given for the product/ th aration/ the chemical mixture. ction of the glove material on consideration of the penetration times, rates of diffusion and th adation
abyre	(Contd on page

(Contd. on page 6)

- US



acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	
Appearance:	
Form:	Fluid
Color:	According to product description
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	7.4-8.4
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	31 °C (87.8 °F)
Flammability:	Flammable.
Auto igniting:	240 °C (464 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a
	vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

Page 6/12

(Contd. of page 5)



acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

		(Contd. of page 6
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.034 g/cm³ (8.62873 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	9.3 %	
Water:	71.1 %	
Coating VOC content:	9.28 %	
5	361.8 g/l / 3.02 lb/gal	
Material VOC content:	95.9 g/l / 0.80 lb/gal	
Solids content:	18.9 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

us

Page 7/12



Page 8/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

(Contd. of page 7)

LD/LC50	values tha	t are relevant for classification:
111-76-2	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)
• Additiona The produ	e: Irritating tion: No se I toxicolog uct shows	
on the eye Sensitizational	e: Irritating tion: No se Il toxicolog uct shows ns:	ant effect. effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods fo
on the eyo Sensitization Additiona The production preparatio Irritant Carcinog	e: Irritating tion: No se al toxicolog uct shows ns: enic categ	ant effect. effect. ensitizing effects known. gical information: the following dangers according to internally approved calculation methods fo
on the eyo Sensitizat Additiona The produ preparatio Irritant Carcinogo IARC (Inter	e: Irritating tion: No se al toxicolog uct shows ns: enic categ	ant effect. effect. gical information: the following dangers according to internally approved calculation methods for pories Agency for Research on Cancer)
on the eyo Sensitization Additiona The production preparatio Irritant Carcinogo IARC (Intel 111-76-2	e: Irritating tion: No se al toxicolog uct shows ns: enic categ ernational 2-butoxye	ant effect. effect. gical information: the following dangers according to internally approved calculation methods for pories Agency for Research on Cancer)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 9)



acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Page 9/12

(Contd. of page 8)

Trade name: GO942 ORANGE LUMINA

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	NOT APPLICABLE
UN proper shipping name	NOT APPLICABLE
Transport hazard class(es)	NOT APPLICABLE NOT APPLICABLE
Packing group	NOT APPLICABLE
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

US



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

	(Specific toxic chemical listings):	
	butoxyethanol	
71-36-3 bi	tan-1-ol	
52-51-7 br	onopol (INN)	
•	c Substances Control Act):	
	water, distilled, conductivity or of similar purity	ACTIV
	2-butoxyethanol	ACTIV
	butan-1-ol	ACTIV
	Ethyl vinyl acetate copolymer	ACTIV
	Silicic acid, lithium magnesium sodium salt	ACTIV
	Dipropylene glycol (isomer unspecified)	ACTIV
	2-dimethylaminoethanol	ACTIV
	bronopol (INN)	ACTIV
	1,2-benzisothiazol-3(2H)-one	ACTIV
2682-20-4	2-methyl-2H-isothiazol-3-one	ACTIV
Hazardous	Air Pollutants	
None of the	ingredients is listed.	
Proposition		
	nown to cause cancer:	
None of the	ingredients is listed.	
Chemicals I	nown to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
	nown to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	nown to cause developmental toxicity:	
None of the	ingredients is listed.	
Carcinogen	ic categories	
EPA (Enviro	onmental Protection Agency)	
111-76-2 2-	butoxyethanol	N
71-36-3 bi	tan-1-ol	D
TLV (Thresl	nold Limit Value)	
111-76-2 2-	butoxyethanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
	ingredients is listed.	



Page 11/12

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

(Contd. of page 10) · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 · Signal word Warning · Hazard statements Flammable liquid and vapor. Causes serious eye irritation. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of preparation / last revision 03/28/2025 / 1.0
- · Abbreviations and acronyms:
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 12)

US



acc. to OSHA HCS

Printing date 03/28/2025

Reviewed on 03/28/2025

Trade name: GO942 ORANGE LUMINA

(Contd. of page 11)

Page 12/12

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A • * Data compared to the previous version altered.

us -