



## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

### 1 Identification

- **Product identifier**
- **Trade name:** GO982 MIXING BLACK
- **Article number:** GO982
- **Application of the substance / the mixture** refer to the relevant Technical Data Sheet
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
General Paint Co. S.A.L.  
P.O. Box 7623  
Beirut  
LEBANON  
info@generalpaint.biz
- **Information department:** Product Safety Department
- **Emergency telephone number:** 1-800-535-5053 contract number (89244)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Flammable liquids 4 H227 Combustible liquid.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**  
Combustible liquid.
- **Precautionary statements**  
Keep away from flames and hot surfaces. – No smoking.  
Wear protective gloves/protective clothing/eye protection/face protection.  
In case of fire: Use CO2, powder or water spray to extinguish.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 2  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0  
Fire = 2  
Reactivity = 0

(Contd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|          |                 |           |
|----------|-----------------|-----------|
| 111-76-2 | 2-butoxyethanol | >2.5-≤10% |
| 67-63-0  | propan-2-ol     | ≤2.5%     |

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 2)

**• Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.

**• Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**• Protective Action Criteria for Chemicals****• PAC-1:**

|          |                        |         |
|----------|------------------------|---------|
| 111-76-2 | 2-butoxyethanol        | 60 ppm  |
| 67-63-0  | propan-2-ol            | 400 ppm |
| 108-01-0 | 2-dimethylaminoethanol | 3.7 ppm |
| 140-88-5 | ethyl acrylate         | 8.3 ppm |
| 104-76-7 | 2-Ethyl-1-hexanol      | 0.1 ppm |

**• PAC-2:**

|          |                        |           |
|----------|------------------------|-----------|
| 111-76-2 | 2-butoxyethanol        | 120 ppm   |
| 67-63-0  | propan-2-ol            | 2000* ppm |
| 108-01-0 | 2-dimethylaminoethanol | 12 ppm    |
| 140-88-5 | ethyl acrylate         | 36 ppm    |
| 104-76-7 | 2-Ethyl-1-hexanol      | 100 ppm   |

**• PAC-3:**

|          |                        |             |
|----------|------------------------|-------------|
| 111-76-2 | 2-butoxyethanol        | 700 ppm     |
| 67-63-0  | propan-2-ol            | 12000** ppm |
| 108-01-0 | 2-dimethylaminoethanol | 72 ppm      |
| 140-88-5 | ethyl acrylate         | 240 ppm     |
| 104-76-7 | 2-Ethyl-1-hexanol      | 200 ppm     |

### 7 Handling and storage

**• Handling:**

**• Precautions for safe handling** No special precautions are necessary if used correctly.

**• Information about protection against explosions and fires:** No special measures required.

**• Conditions for safe storage, including any incompatibilities**

**• Storage:**

**• Requirements to be met by storerooms and receptacles:** No special requirements.

**• Information about storage in one common storage facility:** Not required.

**• Further information about storage conditions:** None.

(Contd. on page 4)



## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 3)

- **Storage class:** 10
- **Specific end use(s):** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

#### • **Components with limit values that require monitoring at the workplace:**

##### **111-76-2 2-butoxyethanol**

|     |   |
|-----|---|
| PEL | Long-term value: 240 mg/m <sup>3</sup> , 50 ppm<br>Skin |
| REL | Long-term value: 24 mg/m <sup>3</sup> , 5 ppm<br>Skin   |
| TLV | Long-term value: 20 ppm<br>BEI, A3                      |

##### **67-63-0 propan-2-ol**

|     |  |
|-----|--|
| PEL | Long-term value: 980 mg/m <sup>3</sup> , 400 ppm   |
| REL | Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm<br>Long-term value: 980 mg/m <sup>3</sup> , 400 ppm |
| TLV | Short-term value: 400 ppm<br>Long-term value: 200 ppm<br>BEI, A4                                       |

#### • **Ingredients with biological limit values:**

##### **111-76-2 2-butoxyethanol**

|     |  |
|-----|--|
| BEI | 200 mg/g creatinine<br>Medium: urine<br>Time: end of shift<br>Parameter: Butoxyacetic acid (BAA) (with hydrolysis) |
|-----|--|

##### **67-63-0 propan-2-ol**

|     |   |
|-----|---|
| BEI | 40 mg/L<br>Medium: urine<br>Time: end of shift at end of workweek<br>Parameter: Acetone (background, nonspecific) |
|-----|---|

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.

(Contd. on page 5)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 4)

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling.

### 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:****Form:**

Fluid

**Color:**

According to product description

**Odor:**

Characteristic

**Odor threshold:**

Not determined.

**pH-value at 20 °C (68 °F):**

7.4-8.4

**Change in condition****Melting point/Melting range:**

Undetermined.

**Boiling point/Boiling range:**

100 °C (212 °F)

**Flash point:**

68 °C (154.4 °F)

**Flammability:**

Not applicable.

**Auto igniting:**

240 °C (464 °F)

**Decomposition temperature:**

Not determined.

**Ignition temperature:**

Product is not selfigniting.

(Contd. on page 6)

US



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 5)

|   |  |
|---|--|
| · <b>Danger of explosion:</b>                     | Not determined.                            |
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | Not determined.                            |
| <b>Upper:</b>                                     | Not determined.                            |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 23 hPa (17.3 mm Hg)                        |
| · <b>Density at 20 °C (68 °F):</b>                | 1.04465 g/cm <sup>3</sup> (8.7176 lbs/gal) |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapor density</b>                            | Not determined.                            |
| · <b>Evaporation rate</b>                         | Not determined.                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix.          |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 8.9 %                                      |
| <b>Water:</b>                                     | 64.6 %                                     |
| <b>Coating VOC content:</b>                       | 8.91 %                                     |
|   | 286.5 g/l / 2.39 lb/gal                    |
| <b>Material VOC content:</b>                      | 93.0 g/l / 0.78 lb/gal                     |
| <b>Solids content:</b>                            | 25.4 %                                     |
| · <b>Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO982 MIXING BLACK

(Contd. of page 6)

### 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**111-76-2 2-butoxyethanol**

|            |          |  |
|------------|----------|--|
| Oral       | LD50     | 1,200 mg/kg (ATE)<br>1,480 mg/kg (rat) |
| Dermal     | LD50     | 400 mg/kg (rab)                        |
| Inhalative | LC50/4 h | 3 mg/l (ATE)                           |

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | 3  |
| 67-63-0  | propan-2-ol     | 3  |
| 140-88-5 | ethyl acrylate  | 2B |

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 7)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                                  |
|--|----------------------------------|
| · <b>UN-Number</b>   | NOT APPLICABLE                   |
| · <b>UN proper shipping name</b>   | NOT APPLICABLE                   |
| · <b>Transport hazard class(es)</b>  | NOT APPLICABLE<br>NOT APPLICABLE |
| · <b>Packing group</b>   | NOT APPLICABLE                   |
| · <b>Environmental hazards:</b>  |                                  |
| · <b>Marine pollutant:</b>   | No                               |
| · <b>Special precautions for user</b>  | Not applicable.                  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                  |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**
- **Section 355 (extremely hazardous substances):**  
None of the ingredients is listed.

(Contd. on page 9)

US





## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 8)

**· Section 313 (Specific toxic chemical listings):**

|          |                 |
|----------|-----------------|
| 111-76-2 | 2-butoxyethanol |
| 67-63-0  | propan-2-ol     |
| 140-88-5 | ethyl acrylate  |

**· TSCA (Toxic Substances Control Act):**

|           |   |        |
|-----------|---|--------|
| 7732-18-5 | water, distilled, conductivity or of similar purity | ACTIVE |
| 111-76-2  | 2-butoxyethanol                                     | ACTIVE |
| 67-63-0   | propan-2-ol   | ACTIVE |
| 108-01-0  | 2-dimethylaminoethanol                              | ACTIVE |
| 140-88-5  | ethyl acrylate                                      | ACTIVE |
| 104-76-7  | 2-Ethyl-1-hexanol                                   | ACTIVE |

**· Hazardous Air Pollutants**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· Proposition 65****· Chemicals known to cause cancer:**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· Chemicals known to cause reproductive toxicity for females:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Chemicals known to cause reproductive toxicity for males:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Chemicals known to cause developmental toxicity:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

**· Carcinogenic categories****· EPA (Environmental Protection Agency)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | NL |
|----------|-----------------|----|

**· TLV (Threshold Limit Value)**

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | A3 |
| 67-63-0  | propan-2-ol     | A4 |
| 140-88-5 | ethyl acrylate  | A4 |

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

|          |                |
|----------|----------------|
| 140-88-5 | ethyl acrylate |
|----------|----------------|

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** Void

· **Signal word** Warning

(Contd. on page 10)

US



## Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

**Trade name: GO982 MIXING BLACK**

(Contd. of page 9)

**• Hazard statements***Combustible liquid.***• Precautionary statements***Keep away from flames and hot surfaces. – No smoking.**Wear protective gloves/protective clothing/eye protection/face protection.**In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.***• Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**• Department issuing SDS:** Product safety department**• Contact:** N/A**• Date of preparation / last revision** 11/16/2024 / 1.0**• Abbreviations and acronyms:***EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable liquids 4: Flammable liquids – Category 4***• \* Data compared to the previous version altered.**

US